


VESTA LCD Touch Screen 6 levels GN 1/1 COMBI oven



Product Description:

- 7 inch TFT 1024x600 pixel color control panel for programming cooking cycles.
- COMBI oven for cooking with variable steam, convection heat, or a combination of them for roasting, steaming, baking and oven frying.
- Product core temperature probe for roasting and baking, overcooking safe.
- Multilevel cooking.
- Scheduler
- Automatic cleaning system with three level of cleaning + rinse.







- AISI 304 stainless steel internal structure with rounded corners for better cleaning meeting HACCP regulation.
- Double glazed door with hinged low emission glass inside for easy cleaning.
- Energy saving LED light on door.
- USB port for managing recipes and HACCP.
- Wi-fi connectivity.
- Free access to cloud platform.
- 7 inch TFT 1024x600 pixel color control panel for programming cooking cycles.
- Multilingual panel commands.
- Cookbook with 300 / 9 steps recipes + preheating.
- Single point core probe with deltaT function.
- Speed fan control on 2 reverse motors.
- Innovative fan design for increasing cooking performances and energy saving.
- Instant steam generator
- Automatic cleaning system with three level of cleaning + rinse.
- Quick cooling system
- Scheduler







Specification:









Electrical Specification:

Model	Voltage	Hertz	Power	Cable
0V0611E	3N-380/400 V	50-60 Hz	13,4 Kw	1,5 mt cable

Water Requirements:

Vesta Srl always suggest to install a water softener to preserve the functionality of all the oven components exposed to water (ie steam generator, solenoid valves, automatic washing system).

• WATER INLET: 3/4"

WATER PRESSURE: 2-4 BARS

• WATER DRAIN: 32mm hot water resistant.



Vesta EVO 0V0611E



VESTA LCD Touch Screen 6 levels GN 1/1 COMBI oven

Technical Features:

Maximum Capacity:
6 wire shelves or sheet pans GN 1/1 – 530mm x 325mm

• Distance between trays: 80mm

• Oven Size: Width: 1000mm


Depth: 680mm

Height: 730mm

Net Weight: 105 Kgs.Gross Weight/Shipping: 120 Kgs.

• Electrical specifications: 3N 380-400V / 13,4 kw

Operational Features:



- Convection mode: from 30°C 240°C.
- Steaming: 100% steam at 30°C 120°C.
- Combi: 5 100% steam at 130°C 180°C.
- Single point core probe.
- DeltaT single point core probe.
- Automatic preheating step.
- Cookbook with 300 / 9 steps recipes + preheating.
- Cooling down program.
- Speed fan control: 6 levels of speed fan.
- Automatic cleaning system (3 levels of cleaning + rinse) with liquid detergent.
- USB port for managing recipes and HACCP.
- Wi-fi connectivity.
- Free access to cloud platform.

Product Capacity:

Product Maximum: 15 Kgs equivalent to 50 meals

Optional:

- Hood with extractor fan.
- Shower kit.
- Oven stand.

DUE TO ONGOING PRODUCT IMPROVEMENT, SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE



Contact info: info@vestaitalia.it www.vestaitalia.it